

## ROTIFERA RECORDED FROM AUSTRALIA

by R. J. SHIEL\* and W. KOSTE†

### Summary

SHIEL, R. J. & KOSTE, W. (1979) Rotifera recorded from Australia. *Trans. R. Soc. S. Aust.* 103(3), 57-68, 31 May, 1979.

Three hundred and thirty-one taxa of Rotifera, in 73 genera, are recorded from Australia. Species names, with published synonymy, are listed alphabetically. Locality records are also given.

### Introduction

Despite increasing interest in Australia's inland water resources, little is known of the ubiquitous rotifer fauna. Since the work of Anderson & Shephard (1892), Colledge (1909-1924), Shephard (1892-1922) and others, the only reports of Rotifera have been species lists from single collections (Russell 1957, 1961; Berzins 1953, 1955, 1963) or individual descriptions (Suzuki 1975; Suzuki & Timms 1977). Taxonomic confusion within the group has persisted; no adequate record of the rotifers of Australia is extant.

This paper contributes a list of all species recorded to date from the continent. Recent advances in taxonomy, particularly with the recognition of morphological variability within species (see Koste 1978) has enabled synonymies to be established for many of the early records. Of more than 450 recorded species, 279 are recognized here. A further 52 taxa are recorded for the first time as a result of a survey of the zooplankton of the Murray-Darling system (Shiel 1978, 1979, in press, in prep.<sup>1</sup>; Koste 1979). Varieties are included in the list because in some cases they are the only representatives of the species found to date in Australia.

The format adopted is as follows: valid species names are given in alphabetical order. Frequently occurring synonyms and date of synonymy are given with each valid name, as are locality data and principal references. References citing Rotifera to genus only have been excluded, as have some of the many early

works with repetitive listings. *Nomina dubia* and records which are uncertain due to insufficient information, typographical or locality errors are listed separately. Sources of synonymy are: Chengalath (1977), Harring (1913), Koste (1978), Kutikova (1970), Russell (1961), Ruttner-Kolisko (1974), Suzuki (1964) and Voigt (1956/1957).

### Rotifera recorded from Australia

*Adineta barbatu* Janson, 1893

Locality: N.S.W. (Murray 1911).

*Adineta gracilis* Janson, 1893

Locality: N.S.W. (Murray 1911).

*Adineta longicornis* Murray, 1906

Locality: N.S.W. (Murray 1911).

*Adineta tuberculosa* Janson, 1893

Locality: N.S.W. (Murray 1911).

*Adineta vaga* (Davis) 1873

Locality: N.S.W. (Murray 1911).

*Anuraeopsis fissa* (Gosse) 1851

1851 *Anuraea fissa* Gosse.

1886 *Anuraea hypelusma* Gosse.

Locality: N.S.W. (Whitelegge 1889),  
W.A. (Berzins 1953).

*Ascomorpha ecaudis* (Perty) 1850

1851 *Sacculus viridis* Gosse.

Locality: N.S.W. (Whitelegge 1889), Qld  
(Colledge 1911).

*Ascomorpha ovata* (Carlin) 1943

Locality: N.S.W. (Shiel in prep.).

*Asplanchna brightwelli* Gosse, 1850

Locality: N.S.W. (Whitelegge 1889), Qld  
(Thorpe 1889, Colledge 1911, Russell  
1961), S.A. (Shiel, 1978), Vic. (Ander-  
son & Shephard 1892, Shiel 1978),  
W.A. (Berzins 1953).

\* Department of Zoology, University of Adelaide, G.P.O. Box. 498, Adelaide, S. Aust. 5001.

† Ludwig-Brill-Strasse 5, Quakenbrück D-4570, West Germany.

<sup>1</sup>Shiel, R. J. Ecology of the potamoplankton of the Murray-Darling river system. PhD thesis, in preparation.

- Asplanchna girodi* (De Guerre) 1888  
 Locality: N.S.W. (Shiel in prep.).
- Asplanchna intermedia* Hudson, 1886  
 Locality: Qld (Colledge 1914).
- Asplanchna priodonta* Gosse, 1850  
 Locality: N.S.W. (Shiel in prep.), Qld (Russell, 1961), Vic. (Shiel, in prep.).
- Asplanchna sieboldi* (Leydig) 1854  
 1883 *Asplanchna ebbeshornii* Hudson.  
 1889 ?*Asplanchna amphora* Hudson.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1911), Vic. (Shephard, 1899).
- Asplanchnopus hyalinus* Harring, 1913  
 Locality: Vic. (Shiel in prep.).
- Asplanchnopus multiceps* (Schrank) 1793  
 1878 *Asplanchna myrmelio* Eyferth.  
 Locality: N.S.W. (Whitelegge 1889); Qld (Colledge 1914), Vic. (Anderson & Shephard 1899).
- Beaufchampia crucigera* (Dutrochet) 1812  
 1862 *Cephalosiphon limnias* Gosse.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1914), Vic. (Anderson & Shephard 1892).
- Brachionus angularis* Gosse, 1851  
 Locality: S.A. (Shiel 1979), Qld (Colledge 1911), Vic. (Shiel in prep.), W.A. (Berzins 1953).
- Brachionus angularis bidens* Plate, 1886  
 1886 *Brachionus bidens* Plate.  
 Locality: Vic. (Shiel in prep.).
- Brachionus baylyi* Sudzuki & Timms, 1977  
 Locality: N.S.W. (Sudzuki 1975).
- Brachionus bidentata bidentata* Anderson, 1889  
 Locality: Vic. (Shiel in prep.).
- Bracrionus bidentata jirovci* Bartos, 1947  
 Locality: Vic. (Shiel in prep.).
- Brachionus bidentata testudinarius* Jacubski, 1912  
 Locality: Vic. (Shiel, in prep.).
- Brachionus budapestinensis* (Daday) 1885  
 1894 *Brachionus quadridentatus* Kertesz.  
 Locality: N.S.W. (Shiel 1979), S.A. (Shiel in press).
- Brachionus calyciflorus amphiceros* Ehrenberg, 1838  
 Locality: Qld (Colledge 1911), S.A. (Shiel, 1979).
- Brachionus calyciflorus aneuriformis* Brehm, 1909  
 1909 *Brachionus anuraeformis* Brehm.  
 Locality: S.A. (Shiel in press), Vic. (Shiel, 1979).
- Brachionus calyciflorus calyciflorus* Pallas, 1766  
 1838 *Brachionus pala* Ehrenberg.  
 Locality: N.S.W. (Shiel 1979), S.A. (Shiel in prep.), Qld (Russell 1961), Vic. Shephard 1899, Powling 1979).
- Brachionus caudatus* Barrois & Daday, 1894  
 1911 ?*Brachionus lyratus* Shephard.  
 Locality: Qld (Russell 1961), Vic. (Shephard 1911).
- Brachionus dichotomus* Shephard, 1911  
 Locality: Vic. (Shephard 1911), Qld (Shiel, in prep.).
- Brachionus diversicornis* (Daday) 1883  
 1883 *Schizocerca diversicornis* Daday.  
 Locality: S.A. (Shiel in press), Vic. (Powling 1979).
- Brachionus falcatus* Zacharias, 1898  
 Locality: Qld (Colledge 1909, 1911; Russell 1961), S.A. (Shiel in press), Vic. (Shiel in prep.).
- Brachionus keikoa* Koste, 1979  
 Locality: S.A. (Koste 1979), Qld (Shiel in prep.).
- Brachionus leydigii rotundus* (Rousselet) 1907  
 1907 *Brachionus quadratus* var. *rotundus* Rousselet.  
 Locality: Vic. (Shiel in prep.).
- Brachionus novaezealandia* (Morris) 1912  
 Locality: S.A. (Shiel in press), Vic. (Shiel in prep.).
- Brachionus patulus* Müller, 1786  
 1948 *Platyias patulus* Gillard.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1889).
- Brachionus plicatilis* Müller, 1786  
 1834 *Brachionus mülleri* Ehrenberg.  
 Locality: Qld (Russell 1961), Vic. (Walker 1973).
- Brachionus quadridentatus melheni* Barrois & Daday, 1894  
 1894 *Brachionus capsuliformis* var. *melheni* Barrois & Daday.  
 Locality: Vic. (Shiel 1979).
- Brachionus quadridentatus quadridentatus* Hermann, 1783  
 1766 *Brachionus capsuliflorus* Pallas.  
 1786 *Brachionus bakeri* Müller.  
 1889 *Brachionus bakeri* var. *longispinae* Thorpe.  
 Locality: Qld (Russell 1961), Vic. (Shiel 1978), W.A. (Berzins 1953).
- Brachionus urceolaris bennini* Leissling, 1924  
 Locality: S.A. (Shiel 1979), Vic. (Shiel in prep.).
- Brachionus urceolaris nilsoni* Ahlstrom, 1940  
 Locality: Vic. (Shiel in prep.).
- Brachionus urceolaris rubens* Ehrenberg, 1838  
 Locality: Qld (Colledge 1911, Russell 1961), Vic. (Anderson & Shephard 1892, Shiel 1979).
- Brachionus urceolaris urceolaris* (Müller) 1773  
 Locality: Qld (Colledge 1911), S.A. (Koste 1979), Vic. (Shiel 1979).

- Cephalodella biungulata* Wulfert, 1937  
 Locality: Vic. (Shiel in prep.).
- Cephalodella catellina* (Müller) 1786  
 1830 *Diglena catellina* Ehrenberg.  
 Locality: N.S.W. (Whitelegge 1889).
- Cephalodella forcifata* (Ehrenberg) 1832  
 1832 *Diaschiza forcifata* Ehrenberg.  
 1832 *Notomma forcifata*: Ehrenberg.  
 1886 *Diaschiza paeta* Gosse.  
 1886 *Furcularia ensifera* Gosse.  
 1903 *Diaschiza caeca* Dixon-Nuttall & Freeman.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1911, 1914).
- Cephalodella forcicula* (Ehrenberg) 1832  
 1838 *Furcularia forcicula* Ehrenberg.  
 Locality: N.S.W. (Whitelegge 1889; Murray 1913), Qld (Colledge 1914), W.A. (Berzins 1953).
- Cephalodella gibba gibba* (Ehrenberg) 1832  
 1886 *Diaschiza semiperita* Gosse.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1911), S.A. (Shiel in prep.), Vic. (Anderson & Shephard 1892).
- Cephalodella gisleni* Berzins, 1953  
 Locality: S.A. (Shiel in press), W.A. (Berzins 1953).
- Cephalodella tenuiseta* (Burn) 1890  
 Locality: W.A. (Berzins 1953).
- Cephalodella tinea* Wulfert 1937  
 Locality: Vic. (Shiel in prep.).
- Ceratotrocha cornigera* (Bryce) 1893  
 Locality: N.S.W. (Murray 1911).
- Chromogaster ovalis* (Bergendal) 1892  
 1892 *Anapus ovalus* Bergendal.  
 Locality: Qld (Colledge 1911).
- Collotheca ambigua* (Hudson) 1883  
 1883 *Floscularia ambigua* Hudson.  
 Locality: N.S.W. (Whitelegge 1889), Vic. (Anderson & Shephard 1892).
- Collotheca campanulata* (Dobie) 1849  
 1849 *Floscularia campanulata* Dobie  
 Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1911, 1914), Vic. (Anderson & Shephard 1892).
- Collotheca cornuta* (Dobie) 1849  
 1849 *Floscularia cornuta* Dobie.  
 Locality: N.S.W. (Whitelegge 1889), Vic. (Anderson & Shephard 1892).
- Collotheca coronetta* (Cubitt) 1869  
 1869 *Floscularia coronetta* Cubitt.  
 Locality: N.S.W. (Hudson 1889), Qld (Thorpe 1889), S.A. (Hudson 1889), Vic. (Anderson & Shephard 1892).
- Collotheca cyclops* Cubitt, 1871  
 Locality: N.S.W. (Whitelegge 1889),
- Collotheca evansoni* (Anderson & Shephard) 1892  
 1892 *Floscularia evansoni* Anderson & Shephard.  
 Locality: Vic. (Anderson & Shephard 1892).
- Collotheca longicaudata* (Hudson) 1883  
 1883 *Floscularia longicaudata* Hudson.  
 Locality: Qld (Colledge 1911, 1914).
- Collotheca mutabilis* (Hudson) 1885  
 1885 *Floscularia mutabilis* Hudson.  
 Locality: N.S.W. (Shiel in prep.).
- Collotheca ornata* (Ehrenberg) 1832  
 1832 *Floscularia ornata* Ehrenberg.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1887, Colledge 1911), Vic. (Anderson & Shephard 1892).
- Collotheca pelagica* (Rousselet) 1893  
 1893 *Floscularia pelagica* Rousselet.  
 Locality: N.S.W. (Shiel, in prep.).
- Collotheca trilobata* (Collins) 1872  
 1872 *Floscularia trilobata* Collins.  
 Locality: Qld (Colledge 1914).
- Colurella bicuspidata* (Ehrenberg) 1832  
 1832 *Colurus bicuspidatus* Ehrenberg.  
 Locality: N.S.W. (Whitelegge 1889), Vic. (Anderson & Shephard 1892).
- Colurella obtusa* (Gosse) 1886  
 1886 *Colurus obtusa* Gosse.  
 1886 *Colurus amblytelus* Gosse.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1889, Russell 1961), W.A. (Berzins 1953).
- Colurella uncinata deflexa* (Ehrenberg) 1834  
 1834 *Colurus deflexus* Ehrenberg.  
 Locality: Qld (Colledge 1911).
- Colurella uncinata uncinata* (Müller) 1773  
 1773 *Brachionus uncinatus* Müller.  
 1830 *Colurus uncinatus*: Ehrenberg.  
 1886 *Colurus dactyloctenus* Gosse.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1911), Vic. (Shiel in prep.).
- Conochilus coenobasis* (Skorikow) 1914  
 1914 *Conochiloïdes coenobasis* Skorikow.  
 Locality: Vic. (Berzins 1963).
- Conochilus dossuarius* (Hudson) 1885  
 1885 *Conochiloïdes dossuarius* Hudson.  
 Locality: N.S.W., S.A., Vic. (Shiel 1979, in press), Qld (Colledge 1911).
- Conochilus hippocrepis* (Schrank) 1830  
 1834 *Conochilus volvox* Ehrenberg.  
 Locality: Qld (Colledge 1909, Russell 1961), Vic. (Anderson & Shephard 1892).
- Conochilus natans* (Seligo) 1900  
 1900 *Tubicolaris natans* Seligo.  
 1904 *Conochiloïdes natans*: Hlav.

- Locality: Qld (Russell 1961), S.A., Vic. (Shiel in press, in prep.).
- Coelochilus unicornis* Rousselet, 1892  
Locality: Qld (Colledge 1911), S.A., Vic. (Shiel in press, in prep.).
- Cupelopagis vorax* (Leidy) 1857  
Locality: Vic. (Shiel 1979).
- Cyrtonia tuba* (Ehrenberg) 1834  
1834 *Notommatia tuba* Ehrenberg.  
Locality: Qld (Colledge 1911).
- Dicranophorus caudatus* (Ehrenberg) 1834  
1851 *Diglena bistraphis* Gosse.  
Locality: Qld (Thorpe 1889).
- Dicranophorus forcipatus* (Müller) 1786  
1832 *Diglena forcipata*: Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1914), Vic. (Shiel in prep.).
- Dicranophorus grandis* (Ehrenberg) 1832  
1832 *Diglena grandis* Ehrenberg.  
Locality: Qld (Colledge 1911, 1914).
- Dicranophorus haueriensis* Wisniewski, 1939  
Locality: Vic. (Shiel in prep.).
- Dicranophorus lutkeni* (Bergental) 1892  
Locality: Vic. (Shiel in prep.).
- Diplois daviesiae* Gosse, 1886  
Locality: Qld (Thorpe 1887).
- Dissotrocha aculeata* (Ehrenberg 1832)  
1832 *Philodina aculeata* Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889).
- Dissotrocha macrostyla* (Ehrenberg, 1838)  
Locality: N.S.W., Qld (Murray, 1911).
- Elosa woralli* Lord, 1891  
Locality: N.S.W. (Murray 1913).
- Encentrum felis* (Müller) 1773  
1886 *Proales felis*: Hudson & Gosse.  
Locality: N.S.W. (Whitelegge 1889).
- Encentrum putorius* putorius Wulfert, 1936  
Locality: Vic. (Shiel in prep.).
- Encentrum saundersiae* (Hudson) 1885  
1885 *Taphrocampa saundersiae* Hudson.  
Locality:
- Enteroplea lacustris* Ehrenberg, 1830  
1889 *Triphyllus lacustris*: Hudson & Gosse.  
Locality: Qld (Colledge 1914).
- Eosphora ehrenbergii* Weber, 1918  
1832 *Notommatia najas* Ehrenberg.  
Locality: Vic. (Anderson & Shephard, 1892).
- Eosphora najas* Ehrenberg, 1830  
1838 *Eosphora digitata* Ehrenberg.  
Locality: Qld (Colledge 1911).
- Epiphantes brachionus* (Ehrenberg) 1837  
1837 *Notommatia brachionus* Ehrenberg.
- 1886 *Notops brachionus* Hudson.  
Locality: Qld (Colledge 1914), Vic. (Shephard 1899).
- Epiphantes clavulata* (Ehrenberg) 1832  
1832 *Notommatia clavulata* Ehrenberg.
- 1886 *Notops clavulatus*: Hudson.  
Locality: Qld (Thorpe 1889, Colledge 1911, 1914), S.A., Vic. (Shiel 1979, in press).
- Epiphantes senta* (Müller) 1773  
1830 *Hydarina senta* Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889), Vic. (Anderson & Shephard 1892).
- Euchlanis deflexa* (Gosse) 1851  
Locality: Vic. (Shiel in prep.), W.A. (Berzins 1953).
- Euchlanis dilatata dilatata* Ehrenberg, 1832  
Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1911, Russell 1961), S.A. (Shiel, in press), Vic. (Anderson & Shephard 1892, Shephard 1899).
- Euchlanis dilatata larga* (Kutikova) 1959  
Locality: Vic. (Shiel in prep.).
- Euchlanis dilatata lucksiana* Hauer, 1930  
Locality: Vic., S.A. (Shiel in prep.).
- Euchlanis incisa* Carlin, 1939  
Locality: Vic. (Shiel 1979).
- Euchlanis lyra* Hudson, 1886  
Locality: Vic. (Berzins 1963).
- Euchlanis meneta* Myers, 1930  
Locality: Vic. (Berzins 1963).
- Euchlanis orophila* Gosse, 1887  
Locality: Qld (Colledge 1911).
- Euchlanis parva* Rousselet, 1892  
Locality: Vic. (Shiel, in prep.).
- Euchlanis triquetra* Ehrenberg, 1838  
Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1887, 1889).
- Filinia brachiata* (Rousselet) 1901  
1901 *Triarthra brachiata* Rousselet.  
Locality: N.S.W. (Murray 1911).
- Filinia longiseta* (Ehrenberg) 1834  
1834 *Triarthra longiseta* Ehrenberg.  
Locality: N.S.W. (Shiel, 1978), Qld (Thorpe 1889, Colledge 1911), S.A. (Shiel 1979), Vic. (Anderson & Shephard 1892).
- Filinia longiseta limnetica* (Zacharias) 1893  
Locality: S.A. (Shiel in press).
- Filinia apoliensis* (Zacharias) 1898  
1898 *Tetramastix apoliensis* Zacharias.  
Locality: Qld (Russell 1961), S.A. (Shiel 1978).
- Filinia passa* (Müller) 1786  
Locality: S.A., Vic. (Shiel in press).
- Filinia pejleri* Hutchinson, 1964  
Locality: N.S.W., S.A. (Shiel in press).
- Filinia pejleri grandis* Koste, 1979  
Locality: S.A. (Koste 1979).
- Filinia terminalis* (Plate) 1886  
Locality: S.A. (Shiel, 1979, in press).
- Floscularia conifera* (Hudson) 1886  
1886 *Meliceria conifera* Hudson.

- Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1889, Colledge 1914), Vic. (Anderson & Shephard 1892).
- Eloscularia janus* (Hudson) 1881  
 1886 *Meliverita janus* Hudson.  
 Locality: N.S.W. (Whitelegge 1889).
- Eloscularia mollicerta* (Ehrenberg) 1832  
 1886 *Melicerta tubicolaria* Gosse.  
 1899 *Melicerta fimbriata* Shephard & Stickland.  
 Locality: Qld (Colledge 1911, 1924), Vic. (Shephard & Stickland 1899).
- Floscularia ringens* (Linnaeus) 1958  
 1803 *Meliverita ringens*: Schrank.  
 Locality: N.S.W. (Whitelegge 1889); Qld (Thorpe 1889, Colledge 1909), Vic. (Anderson & Shephard 1892).
- Gastropus hyptopus* (Ehrenberg) 1838  
 1838 *Notomma hyptopus* Ehrenberg.  
 Locality: Qld (Russell 1961), N.S.W. (Shiel in prep.).
- Gastropus minor* (Rousselet) 1892  
 1892 *Notops minor* Rousselet.  
 Locality: Qld (Colledge 1911), N.S.W. (Shiel in prep.).
- Gastropus stylifer* Imhof, 1891  
 Locality: Qld (Colledge 1911).
- Habrotrocha angusticollis* (Murray) 1905  
 Locality: N.S.W., Qld (Murray 1911).
- Habrotrocha appendiculata* Murray, 1911  
 Locality: Qld (Laird 1956, Russell 1961).
- Habrotrocha aspera* (Bryce) 1892  
 Locality: N.S.W. (Murray 1911).
- Habrotrocha constricta* (Dujardin) 1841  
 Locality: N.S.W. (Murray 1911).
- Habrotrocha caudata* Murray, 1911  
 Locality: N.S.W., Qld (Murray 1911).
- Habrotrocha leitgehti* (Zelinka) 1886  
 Locality: N.S.W. (Murray 1911).
- Habrotrocha longiceps* (Murray) 1906  
 1906 *Calidina longiceps* Murray.  
 Locality:
- Habrotrocha perforata* (Murray 1906  
 Locality: N.S.W., Qld (Murray 1911).
- Habrotrocha pusilla* (Bryce) 1896  
 Locality: N.S.W. (Murray 1911).
- Habrotrocha strangulata* Murray, 1911  
 Locality: N.S.W. (Murray 1911).
- Habrotrocha tridens* (Milne) 1886  
 Locality: N.S.W. (Murray 1911).
- Hexarthra jennica* (Levander) 1892  
 Locality: Qld (Russell 1961).
- Hexarthra intermedia* (Wisziewski) 1929  
 Locality: N.S.W., S.A., Vic. (Shiel 1978, in press).
- Hexarthra jenkinsae* (Beauchamp) 1932  
 Locality: Vic. (Walker 1973).
- Hexarthra mira* (Hudson) 1871  
 1871 *Pedalia mira* Hudson  
 Locality: N.S.W., S.A., Vic. (Shiel in prep.), Qld (Russell 1961).
- Hornella brehuni* Donner, 1949  
 Locality: S.A. (Koste & Shiel unpublished).
- Itura aurita* (Ehrenberg) 1830  
 1830 *Diglena aurita* Ehrenberg.  
 1836 *Eosphora aurita*; Werneck.  
 Locality: Qld (Colledge 1911).
- Keratella australis* Berzins, 1963  
 1963 *Keratella quadrata australis* Berzins.  
 Locality: N.S.W., Qld, S.A., Vic. (Shiel 1978, 1979), Vic. (Berzins 1963).
- Keratella cochlearis cochlearis* (Gosse) 1851  
 1851 *Anuraea cochlearis* Gosse.  
 Locality: Vic. (Berzins 1963), N.S.W., S.A. (Shiel 1978, 1979), Qld (Colledge 1911).
- Keratella cochlearis hispida* (Lauterborn) 1898  
 Locality: Qld (Russell 1961).
- Keratella cruciformis* (Thompson) 1892  
 Locality: Qld (Colledge 1914).
- Keratella javana* Hauer, 1937  
 1952 *Keratella carinata* Russell.  
 Locality: Vic. (Berzins 1963), W.A. (Berzins 1953).
- Keratella lenzi* Hauer, 1953  
 Locality: Qld (Berzins 1955).
- Keratella procurva* (Thorpe) 1891  
 1891 *Anuraea procurva* Thorpe.  
 1943 *Keratella valga procurva*: Ahlstrom.  
 Locality: Vic (Berzins 1963), W.A. (Berzins 1953).
- Keratella quadrata* (Müller) 1786  
 1832 *Anuraea aculeata* Ehrenberg.  
 1838 *Auracea curvicornis* Ehrenberg.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1889), Vic. (Anderson & Shephard 1892).
- Keratella serrulata* (Ehrenberg) 1838  
 1838 *Auracea serrulata* Ehrenberg.  
 Locality: Qld (Russell 1961), S.A. (Shiel in press).
- Keratella shielii* Koste, 1979  
 Locality: S.A. (Koste 1979).
- Keratella slacki* (Berzins) 1963  
 1963 *Keratella valga slacki* Berzins.  
 Locality: Vic. (Berzins 1963), S.A. (Shiel 1979).
- Keratella tropica tropica* (Apstein) 1907  
 Locality: Qld (Russell 1961), N.S.W., S.A., Vic. (Shiel 1979, in press).
- Keratella vulga* (Ehrenberg) 1834  
 1834 *Auracea vulga* Ehrenberg.  
 Locality: Qld (Russell 1961), N.S.W., Vic. (Shiel 1978).

- Lacinularia elliptica* Shephard, 1897  
 Locality: Vic. (Shephard 1897), Qld (Colledge 1914), N.S.W., S.A. (Shiel in prep.).
- Lacinularia elongata* Shephard, 1897  
 Locality: Vic. (Shephard 1897).
- Lacinularia flosculosa* (Müller) 1758  
 1830 *Lacinularia socialis* Ehrenberg.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1914), Vic. (Anderson & Shephard 1892).
- Lacinularia ismaeloviensis* (Poggenpol) 1872  
 1891 *Lacinularia natans* Western.  
 Locality: Vic. (Shiel in prep.).
- Lacinularia pedunculata* Hudson, 1889  
 Locality: N.S.W. (Hudson 1889), Vic. (Anderson & Shephard 1892).
- Lacinularia racemovata* Thorpe, 1892  
 Locality: Qld (Colledge 1914).
- Lacinularia reticulata* Anderson & Shephard, 1892  
 Locality: Vic. (Anderson & Shephard 1892).
- Lacinularia striolata* Shephard, 1899  
 Locality: Vic. (Shephard 1899).
- Lecane arcuata* (Bryce) 1891  
 1891 *Monostyla arcuata* Bryce.  
 Locality: Qld (Russell 1961).
- Lecane batillifer* (Murray) 1913  
 1913 *Monostyla batillifer* Murray.  
 Locality: N.S.W. (Murray 1913).
- Lecane brachyacyla* (Stenoos) 1898  
 1898 *Cathypna brachyacyla* Stenoos.  
 Locality: Qld (Colledge 1914).
- Lecane bulla bulla* (Gosse) 1851  
 1851 *Monostyla bulla* Gosse.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1911, Laird 1956), W.A. (Berzins 1953), Vic. (Berzins 1963).
- Lecane closterocerca* (Schmarda) 1895  
 1926 *Monostyla closterocerca*: Harring and Myers.  
 Locality: W.A. (Berzins 1953), Vic. (Shiel in prep.).
- Lecane cornuta* (Müller) 1786  
 1786 *Trichoda cornuta*: Müller.  
 1830 *Monostyla cornuta* Ehrenberg.  
 1830 *Monostyla robusta* Ehrenberg.  
 Locality: N.S.W. (Suzuki & Timms, 1977); Qld. (Colledge 1911).
- Lecane crenata* (Harring) 1913  
 1913 *Monostyla crenata* Harring.  
 Locality: Qld (Russell 1961), Vic. (Shiel in prep.).
- Lecane flexilis* (Gosse) 1886  
 Locality: Vic. (Shiel, in prep.).
- Lecane hamata* (Stokes) 1896  
 1896 *Monostyla hamata* Stokes.  
 Locality: Qld (Russell 1961), WA (Berzins 1963), Vic. (Shiel in prep.), N.S.W. (Murray 1913).
- Lecane ichthyoura* (Anderson & Shephard) 1892  
 1892 *Distyia ichthyoura* Anderson & Shephard.  
 Locality: Vic. (Anderson & Shephard 1892).
- Lecane leontina* (Turner) 1892  
 1892 *Cathypna leontina* Turner.  
 Locality: Qld (Colledge 1911).
- Lecane luna luna* (Müller) 1776  
 1886 *Cathypna luna*: Gosse.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1889, Russell 1961), S.A. (Shiel in press), W.A. (Berzins 1953).
- Lecane lunaris* (Ehrenberg) 1832  
 1832 *Monostyla lunaris* Ehrenberg.  
 Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1889), S.A., Vic. (Shiel in press).
- Lecane nana* (Murray) 1913  
 1913 *Cathypna nana* Murray.  
 Locality: Qld (Russell 1961).
- Lecane ohioensis* (Herrick) 1885  
 Locality: Qld (Colledge 1914), Vic. (Shiel in prep.).
- Lecane papuana* (Murray) 1913  
 Locality: Qld (Russell 1961).
- Lecane quadridentata* (Ehrenberg) 1832  
 1832 *Monostyla quadridentata* Ehrenberg.  
 Locality: Qld (Colledge 1911), Vic. (Anderson & Shephard 1892).
- Lecane signifera ploenensis* (Voigt) 1902  
 Locality: Qld (Russell 1961), N.S.W. (Shiel, in prep.).
- Lecane signifera signifera* (Jennings) 1896  
 Locality: Qld (Shiel in prep.).
- Lecane spenceri* (Shephard) 1892  
 1892 *Cathypna spenceri* Shephard.  
 Locality: Vic. (Shephard 1892).
- Lecane stenoosi* (Meissner) 1908  
 1908 *Monostyla stenoosi* Meissner.  
 Locality: Qld (Laird 1956, Russell 1957), N.S.W. (Suzuki & Timms 1977).
- Lecane styrax* (Harring & Myers) 1926  
 Locality: Qld (Russell 1961).
- Lecane ungulata ungulata* (Gosse) 1887  
 1887 *Cathypna ungulata* Gosse.  
 Locality: Qld (Colledge 1941, Russell 1961).
- Lecane ungulata australiensis* Koste 1979  
 Locality: Vic. (Koste 1979).
- Lepadella acuminata* (Ehrenberg) 1834  
 1834 *Metopidia acuminata* Ehrenberg.  
 Locality: Qld (Colledge 1911).
- Lepadella ehrenbergi* (Perty) 1850  
 1850 *Metopidia ehrenbergi* Perty.  
 Locality: N.S.W. (Murray 1913).
- Lepadella heterostyla* (Murray) 1913  
 1913 *Metopidia heterostyla* Murray.  
 Locality: N.S.W. (Murray 1913).

- Lepadella oblonga* (Ehrenberg) 1834  
 1834 *Metopidia oblonga* Ehrenberg.  
 Locality: Qld (Colledge 1914).
- Lepadella ovalis* (Müller) 1786  
 1832 *Metopidia lepadella* Ehrenberg.  
 1851 *Metopidia solidus* Gosse.  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Thorpe 1889, Colledge 1911), Vic.  
 (Anderson & Shephard 1892).
- Lepadella patella patella* (Müller) 1773  
 1889 *Metopidia lepadella* Hudson & Gosse.  
 1896 *Metopidia collaris* Stokes.  
 Locality: N.S.W. (Whitelegge 1889,  
 Murray 1913), Qld (Colledge 1911).  
 Vic. (Shiel in prep.), W.A. (Berzins  
 1953).
- Lepadella quintaecostata* (Lucks) 1912  
 1912 *Metopidia quintaecostata* Lucks.  
 Locality: N.S.W. (Murray 1913).
- Lepadella rhomboides* (Gosse 1886)  
 1886 *Metopidia rhomboides* Gosse.  
 Locality: N.S.W. (Murray 1911).
- Lepadella salpina* (Ehrenberg) 1834  
 1886 *Metopidia oxysternum* Gosse.  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Colledge 1911).
- Lepadella triptera* (Ehrenberg) 1830  
 1830 *Metopidia triptera* Ehrenberg.  
 Locality: Qld (Colledge 1911).
- Lepadella vitrea* (Shephard) 1911  
 1892 *Metopidia ovalis* (non Müller) Anderson  
 & Shephard.  
 1911 *Metopidia vitrea* Shephard.  
 Locality: Qld (Colledge 1914), Vic.  
 (Anderson & Shephard 1892).
- Limnias ceratophylli* Schrank 1803  
 1862 *Melicerta ceratophylli* Gosse.  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Thorpe 1889, Colledge 1909), Vic.  
 (Anderson & Shephard 1892).
- Limnias granulosus* Weber 1888  
 Locality: Vic. (Anderson & Shephard,  
 1892).
- Limnias melicerta* Wiessc. 1848  
 1854 *Limnias annulatus* Bailey.  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Thorpe 1887), Vic. (Anderson &  
 Shephard 1892).
- Lophocharis salpina* (Ehrenberg) 1834  
 1851 *Metopidia oxysternum* Gosse.  
 Locality: Qld (Colledge 1914), Vic.  
 (Shiel in prep.).
- Macrochaetus collinsi* (Gosse) 1867  
 1867 *Dinocaris collinsi* Gosse.  
 Locality: Qld (Colledge 1911).
- Macrochaetus subquadratus* (Perty) 1850  
 1850 *Polycliaetus subquadratus* Perty.  
 Locality: N.S.W. (Murray 1913).
- Macrotrachela armillata* (Murray) 1911  
 1911 *Callidina armillata* Murray.  
 Locality: N.S.W. (Murray 1911).
- Macrotrachela ehrenbergi* (Janson) 1893  
 1893 *Callidina ehrenbergi* Janson.  
 Locality: N.S.W. (Murray 1911).
- Macrotrachela formosa* (Murray) 1906  
 1906 *Callidina formosa* Murray.  
 Locality: N.S.W., Qld (Murray 1911).
- Macrotrachela habita* (Bryce) 1894  
 1894 *Callidina habita* Bryce.  
 Locality: N.S.W., Qld (Murray 1911).
- Macrotrachela lepida* (Murray) 1911  
 1911 *Callidina lepida* Murray.  
 Locality: N.S.W. (Murray 1911).
- Macrotrachela longistyla* (Murray) 1911  
 1911 *Callidina longistyla* Murray.  
 Locality: N.S.W., Qld (Murray 1911).
- Macrotrachela microcorvis* (Murray) 1911  
 1911 *Callidina microcorvis* Murray.  
 Locality: N.S.W. (Murray 1911).
- Macrotrachela mirabilis* (Murray) 1911  
 1911 *Callidina mirabilis* Murray.  
 Locality: N.S.W. (Murray 1911).
- Macrotrachela multispinosa* Thompson, 1892  
 Locality: N.S.W., Qld (Murray 1911).
- Macrotrachela papillosa* Thompson, 1892  
 Locality: N.S.W., Qld (Murray 1911).
- Macrotrachela plicata* (Bryce) 1896  
 1896 *Callidina plicata* Bryce.  
 Locality: N.S.W. (Murray 1911).
- Macrotrachela punctata* (Murray) 1911  
 1911 *Callidina punctata* Murray.  
 Locality: N.S.W., Qld (Murray 1911).
- Macrotrachela quadricornifera* (Milne) 1886  
 1886 *Callidina quadricornifera* Milne.  
 Locality: N.S.W., Qld (Murray 1911).
- Macrotrachela serrulata* (Murray) 1911  
 1911 *Callidina serrulata* Murray.  
 Locality: N.S.W. (Murray 1911).
- Microcodidus chlaena* (Gosse) 1886  
 1886 *Stephanops chlaena* Gosse.  
 Locality: Qld (Colledge 1914).
- Microdon clavus* Ehrenberg 1830  
 Locality: N.S.W. (Whitelegge 1889).
- Mniobia russeola* (Zelinka) 1891  
 Locality: N.S.W. (Murray 1911).
- Mniobia scabrosa* Murray, 1911  
 Locality: N.S.W. (Murray 1911).
- Mniobia tetraodon* (Ehrenberg) 1848  
 Locality: N.S.W. (Murray 1911).
- Monommata aequalis* (Ehrenberg) 1832  
 1886 *Furcularia aequalis*:Hudson & Gosse.  
 Locality: Qld (Colledge 1911).
- Monommata longiseta* (Müller) 1786  
 1776 *Cercaria longiseta* Müller.  
 1786 *Vorticella longiseta*:Müller.  
 1816 *Furcularia longiseta*:Lamarck.

- Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1889, Colledge 1911, Laird 1956, Russell 1957).
- Mytilina mucronata* (Müller) 1773  
Locality: Vic. (Shiel in prep.).
- Mytilina trigona* (Gosse) 1851  
1851 *Diplax trigona* Gosse.  
Locality: Qld (Colledge 1911).
- Mytilina ventralis* (Ehrenberg) 1832  
1832 *Salpina ventralis* Ehrenberg.  
1886 *Salpina eustala* Gosse.  
1886 *Salpina macrocaantha* Gosse.  
1891 *Salpina cortina* Thorpe.  
Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1887, 1889, Colledge 1911, 1914, Russell 1961). Vic. (Shiel in prep.).
- Mytilina ventralis brevispina* (Ehrenberg) 1832  
1832 *Salpina brevispina* Ehrenberg.  
Locality: Qld (Colledge 1911). Vic. (Anderson & Shephard 1892).
- Notommatia aurita* (Müller) 1786  
Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1911), Vic. (Anderson & Shephard 1892).
- Notommatia cerberus* (Gosse) 1886  
1886 *Copeus cerberus* Gosse.  
Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1899).
- Notommatia collaris* Ehrenberg, 1832  
Locality: N.S.W. (Whitelegge 1889).
- Notommatia copeus* Ehrenberg, 1834  
1834 *Notommatia centrura* Ehrenberg.  
1886 *Copeus ehrenbergi* Hudson & Gosse.  
1886 *Copeus labiatius* Gosse.  
1897 *Copeus copeus*: Collin.  
Locality: N.S.W. (Whitelegge 1889), Vic. (Anderson & Shephard 1892), Qld (Colledge 1911).
- Notommatia cyriopus* Gosse, 1886  
Locality: N.S.W. (Whitelegge 1889).
- Notommatia lacinulata* Ehrenberg, 1830  
Locality: Qld (Colledge 1914).
- Notommatia pachyura* (Gosse) 1886.  
1832 *Notommatia ansata* Ehrenberg.  
1886 *Copeus pachyurus* Gosse.  
Locality: Vic. (Anderson & Shephard 1892); N.S.W. (Whitelegge 1889), Qld (Thorpe 1889, Colledge 1911).
- Notommatia silpha* (Gosse, 1887)  
1886 *Notommatia forcipata* Gosse.  
Locality: N.S.W. (Whitelegge 1889).
- Notommatia tripus* Ehrenberg, 1838  
1886 *Notommatia pilarius* Gosse.  
Locality: N.S.W. (Whitelegge 1889).
- Otosstephanus auriculatus* (Murray) 1911  
1911 *Habrotrocha auriculata* Murray.  
Locality: N.S.W. (Murray 1911).
- Philodina australis* Murray 1911  
Locality: N.S.W. (Murray 1911).
- Philodina brevipes* Murray, 1902  
Locality: N.S.W. (Murray 1911).
- Philodina citrina* Ehrenberg, 1832  
Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1889), Vic. (Anderson & Shephard 1892).
- Philodina megalotrocha* Ehrenberg, 1832  
Locality: Qld (Colledge 1914), Vic. (Shiel in prep.).
- Philodina plena* (Bryce) 1894  
Locality: N.S.W., Qld (Murray 1911).
- Philodina roseola* Ehrenberg, 1832  
Locality: N.S.W. (Whitelegge 1889), Vic. (Anderson & Shephard 1892).
- Philodina rugosa* Bryce, 1903  
Locality: N.S.W., Qld (Murray 1911).
- Philodina vorax* (Janson) 1893  
Locality: Qld (Murray 1911).
- Platylus quadricornis* (Ehrenberg) 1832  
1832 *Noteus quadricornis* Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1914), Vic. (Anderson & Shephard 1892, Berzins 1963).
- Ploesoma lenticulare* (Herrick) 1855  
1838 ?*Euchlanis lynceus* Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889).
- Pleuretra alpium* (Ehrenberg) 1853  
1853 *Collidina alpium* Ehrenberg.  
Locality: N.S.W., Qld (Murray 1911).
- Pleuretra humerosa* (Murray) 1905  
1905 *Philodina humerosa* Murray.  
Locality: N.S.W. (Murray 1911).
- Plenrotrocha petromyzon* Ehrenberg, 1830  
1886 *Praeles petromyzon*: Hudson & Gosse.  
Locality: N.S.W. (Whitelegge 1889), Vic. (Shiel in prep.).
- Polyarthra dolichoptera* (Idelson) 1925  
Locality: N.S.W. (Shiel in prep.).
- Polyarthra longiremis* Carlin, 1943  
Locality: Qld (Russell 1961), Vic. (Shiel in prep.).
- Polyarthra remata* (Skorikow) 1896  
Locality: Vic. (Berzins 1963).
- Polyarthra vulgaris* Carlin, 1943  
1838 *Polyarthra platyptera* Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1887, 1889, Russell 1961), Vic. (Anderson & Shephard 1892, Shiel 1978), S.A. (Shiel in press.).
- Pompholyx complanata* Gosse, 1851  
Locality: Qld (Russell 1961), N.S.W., S.A., Vic. (Shiel in press.).
- Pompholyx sulcata* (Hudson) 1885  
Locality: N.S.W. (Suzuki & Timms in prep.), Vic. (Shiel in prep.).

- Proales daphnicola* Thompson, 1842  
Locality: Vic. (Shiel in prep.).
- Proales decipiens* (Ehrenberg) 1831  
1831 *Notomimata decipiens* Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889).
- Proales gigantea* (Glascott) 1893  
1893 *Notomimata gigantea* Glascott.  
Locality: Qld (Laird 1956, Russell 1957).
- Proales micropus* (Gosse) 1886  
1886 *Furecularia micropus* Gosse.  
Locality: Qld (Colledge 1911).
- Proales parasita* (Ehrenberg) 1838  
1838 *Notomimata parasita* Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1914).
- Proales similis exoculis* Berzins, 1953  
Locality: W.A. (Berzins 1953).
- Proales sordida* Gosse, 1881  
Locality: Qld (Colledge 1911).
- Proales wernickii* (Ehrenberg) 1834  
1834 *Notomimata wernickii* Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889).
- Proalinopsis caudatus* (Collins) 1872  
1886 *Copeus caudatus* Hudson & Gosse.  
1872 *Notomimata caudata*: Collins.  
Locality: N.S.W. (Whitelegge 1889).
- Ptygura brachiata* (Hudson) 1886  
1886 *Oecistes brachiatus* Hudson.  
Locality: Qld (Colledge 1911).
- Ptygura cristata* (Murray) 1913  
1913 *Oecistes cristatus* Murray.  
Locality: N.S.W. (Murray 1913).
- Ptygura crystallina* (Ehrenberg) 1834  
1834 *Oecistes crystallinus* Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889), Qld (Colledge 1911), Vic. (Anderson & Shephard 1892).
- Ptygura intermedia* (Davis) 1867  
1867 *Oecistes intermedius* Davis.  
Locality: N.S.W. (Whitelegge 1889), Vic. (Anderson & Shephard 1892).
- Ptygura longicornis* (Davis) 1867  
1867 *Oecistes longicornis* Davis.  
Locality: N.S.W. (Whitelegge 1889), Vic. (Anderson & Shephard 1892).
- Ptygura melicerta* (Ehrenberg) 1832  
1886 *Oecistes ptygura* Hudson & Gosse.  
Locality: N.S.W. (Whitelegge 1889).
- Ptygura pilula* (Cubitt) 1872  
1872 *Melicerta pilula* Cubitt.  
1878 *Oecistes pilula*: Wills.  
Locality: N.S.W. (Whitelegge 1889).
- Ptygura wilsonii* (Anderson & Shephard) 1892  
1892 *Oecistes wilsonii* Anderson & Shephard.  
Locality: Vic. (Anderson & Shephard 1892).
- Resticula melandocus* (Gosse) 1887  
1887 *Furecularia melandocus* Gosse.  
Locality: Qld (Colledge 1911).
- Rhinoglena frontalis* (Ehrenberg) 1853  
Locality: Vic. (Shiel in prep.).
- Rotaria exoculis* (de Koning) 1947  
Locality: W.A. (Berzins 1953).
- Rotaria haptica* (Gosse) 1886  
1886 *Rotifer hapticus* Hudson & Gosse.  
Locality: N.S.W. (Murray 1911).
- Rotaria macroceros* (Gosse) 1851  
1851 *Rotifer macroceros* Gosse.  
Locality: N.S.W. (Whitelegge 1889).
- Rotaria macrura* (Ehrenberg) 1832  
1832 *Rotifer macrurus* Ehrenberg.  
Locality: Qld (Thorpe 1889), N.S.W. (Shiel in prep.).
- Rotaria montana* (Murray) 1911  
1911 *Rotifer montanus* Murray.  
Locality: N.S.W. (Murray 1911).
- Rotaria neptunia* (Ehrenberg) 1832  
1832 *Actinurus neptunius* Ehrenberg.  
1900 *Rotifer neptunius*: Jennings.  
Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1887, 1889), W.A. (Berzins 1953), Vic. (Shiel in prep.).
- Rotaria rotatoria* (Pallas) 1766  
1801 *Rotifer vulgaris* Schrank.  
Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1889), Vic. (Anderson & Shephard 1892).
- Rotaria sordida* (Western) 1893  
1910 *Rotifer longirostris* Bryce.  
Locality: N.S.W., Qld (Murray 1911).
- Rotaria tardigrada* (Ehrenberg) 1832  
1838 *Rotifer tardus* Ehrenberg.  
Locality: Qld (Thorpe 1889), Vic. (Anderson & Shephard 1892).
- Rousseletta parrotti* (Russell) 1947  
Locality: N.S.W. (Suzuki & Timms 1977).
- Scuridium longicaudum* (Müller) 1786  
1786 *Trichoda longicauda* Müller.  
1886 *Scuridium eudactylotum* Gosse.  
Locality: N.S.W. (Whitelegge 1889), Qld (Thorpe 1887, 1889), Vic. (Shiel in prep.).
- Scepanotrocha rubra* Bryce, 1910  
Locality: N.S.W. (Murray 1911).
- Sinantherina semibullata* (Thorpe) 1889  
1889 *Megalotrocha semibullata* Thorpe.  
Locality: Qld (Thorpe 1889, Colledge 1914).
- Sinantherina socialis* (Linnaeus) 1758  
1838 *Megalotrocha alboflavicans* Ehrenberg.  
Locality: Qld (Colledge 1914, Russell 1961).
- Sinantherina spinosa* (Thorpe) 1893  
1893 *Megalotrocha spinosa* Thorpe.  
Locality: Qld (Colledge 1914).

- Squatinella longispinata* (Tatem) 1867  
 1867 *Stephanops longispinatus* Tatem.  
 1886 *Stephanops unisetatus* Hudson & Gosse,  
 Locality: N.S.W. (Whitelegge 1899).
- Squatinella rostrum* (Schmarda) 1846  
 1830 *Stephanops lamellaris* Ehrenberg  
 Locality: Qld (Thorpe 1889).
- Squatinella tridentata* (Fresenius) 1858  
 1889 *Stephanops intermedius* Burn.  
 Locality: Qld (Colledge 1914).
- Squatinella tridentata mutica* (Ehrenberg) 1832  
 1832 *Stephanops muticus* Ehrenberg.  
 Locality: N.S.W. (Whitelegge 1889), Vic.  
 (Anderson & Shephard 1892).
- Stephanoceros fimbriatus* (Goldfuss, 1820)  
 1832 *Stephanoceros eichhornii* Ehrenberg.  
 1832 *Stephanops eichhornii*: Ehrenberg,  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Colledge 1911, 1914).
- Stephanoceros millsi* (Kellicott) 1885  
 1885 *Floscularia millsi* Kellicott.  
 Locality: N.S.W. (Whitelegge 1889).
- Synchaeta baltica* Ehrenberg 1834  
 Locality: N.S.W. (Whitelegge 1889).
- Synchaeta longipes* (Gosse) 1887  
 Locality: Vic. (Shiel in prep.).
- Synchaeta oblonga* Ehrenberg, 1832  
 Locality: N.S.W. (Shiel in prep.).
- Synchaeta pectinata* Ehrenberg, 1832  
 Locality: Qld (Russell 1961), Vic. (Shephard 1911).
- Synchaeta stylata* Wierzejski, 1893  
 Locality: Qld (Colledge 1911), S.A.  
 (Shiel in prep.).
- Synchaeta tremula* (Müller) 1786  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Colledge 1911), Vic. (Anderson & Shephard 1892).
- Taphrocampus annulosa* Gosse, 1851  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Colledge 1911).
- Taphrocampus selenura* Gosse, 1887  
 Locality: N.S.W. (Whitelegge 1889).
- Testudinella incisa* (Ternetz) 1892  
 1892 *Pterodina incisa* Ternetz.  
 Locality: Qld (Colledge 1914).
- Testudinella insinuata* Haner, 1938  
 Locality: Qld (Russell, 1961).
- Testudinella intermedia* (Anderson) 1889  
 1889 *Pterodina intermedia* Anderson.  
 Locality: Vic. (Anderson & Shephard 1892).
- Testudinella patina* (Hermann) 1783  
 1830 *Pterodina patina*: Ehrenberg.  
 1871 *Pterodina valvata* Hudson.  
 Locality: N.S.W. (Whitelegge 1889),  
 Qld (Thorpe 1887, Russell 1961), Vic.  
 (Shephard 1899).
- Testudinella reflexa* (Gosse) 1887  
 1887 *Pterodina reflexa* Gosse.  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Colledge 1914).
- Testudinella trilobata* (Anderson & Shephard) 1892  
 1892 *Pterodina trilobata* Anderson & Shephard.  
 Locality: Vic. (Anderson & Shephard 1892).
- Tetrasiphon hydrocora* Ehrenberg, 1840  
 1885 *Copeus spicatus* Hudson.  
 Locality: N.S.W. (Whitelegge 1889).
- Trichocerca bicristata* (Gosse) 1887  
 1887 *Mastigocerca bicristata* Gosse.  
 1903 *Rattulus bicristatus*: Jennings.  
 Locality: Qld (Colledge 1911, 1914).
- Trichocerca hirostris* (Minkiewicz) 1900  
 1900 *Mastigocerca hirostris* Minkiewicz.  
 Locality: Qld (Colledge 1914).
- Trichocerca brachyura* (Gosse) 1851  
 1851 *Monocerca brachyura* Gosse.  
 1886 *Coelopus brachyurus*: Hudson & Gosse.  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Colledge 1911).
- Trichocerca capucina* (Wierzejski) & Zacharias 1893  
 1903 *Rattulus capucinus* Jennings.  
 Locality: N.S.W. (Murray 1913), Qld  
 (Russell 1961).
- Trichocerca cylindrica chantoni* (De Beauchamp) 1907  
 Locality: N.S.W. (Koste unpubl.).
- Trichocerca dixonnuttalli* (Jennings) 1903  
 1903 *Dirella dixon-nuttalli* Jennings.  
 Locality: Qld (Russell 1961).
- Trichocerca elongata* (Gosse) 1886  
 1886 *Mastigocerca elongata* Gosse.  
 1903 *Rattulus elongata* Jennings.  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Colledge 1911, 1914).
- Trichocerca insignis* (Herrick) 1885  
 Locality: N.S.W. (Shiel in prep.).
- Trichocerca longiseta* (Schrank) 1802  
 1886 *Mastigocerca bicornis* Hudson & Gosse.  
 1903 *Rattulus longiseta* Jennings.  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Colledge 1911).
- Trichocerca mucosa* (Stokes) 1896  
 1896 *Mastigocerca mucosa* Stokes.  
 1903 *Rattulus mucosus* Jennings.  
 Locality: Qld (Colledge 1911).
- Trichocerca porcellus* (Gosse) 1886  
 1851 *Coelopus porcellus* Gosse.  
 1903 *Dirella porcellus* Jennings.  
 Locality: N.S.W. (Whitelegge 1889), Qld  
 (Colledge 1911).
- Trichocerca porcellus* (Gosse) 1886  
 1851 *Coelopus porcellus* Gosse.

- 1903 *Diurella porcellus* Jennings.  
Locality: N.S.W. (Whitelegge 1889), Qld  
(Colledge 1911).
- Trichocerca pusilla* (Jennings) 1903
- 1903 *Rattulus pusillus* Jennings.  
Locality: W.A. (Berzins 1953).
- Trichocerca ratus* (Müller) 1776
- 1830 *Mastigocerca carinata* Ehrenberg.
- 1860 *Rattulus carinatus* Lamarck.
- 1903 *Rattulus ratus* Jennings.
- 1913 *Trichocerca cristata* Harring.  
Locality: N.S.W. (Whitelegge 1889), Qld  
(Colledge 1911, Russell 1961), Vic.  
(Anderson and Shephard 1892).
- Trichocerca ratus curinata* (Ehrenberg) 1830  
Locality: Vic. (Shiel in prep.).
- Trichocerca rousseleti* (Voigt) 1902  
Locality: S.A. (Shiel in prep.).
- Trichocerca similis* (Wierzejski) 1893
- 1851 *Mastigocerca stylata* Gosse.
- 1878 *Diurella stylata* Eyferth.
- 1893 *Rattulus bicornis* Western.
- 1900 *Mastigocerca birostris* Minkiewicz.  
Locality: Qld (Thorpe 1889; Colledge  
1911, 1914; Russell 1961), Vic., N.S.W.  
(Shiel in prep.).
- Trichocerca stylata* (Gosse) 1851  
1903 *Rattulus stylatus* Jennings.  
Locality: Vic. (Shiel in prep.).
- Trichocerca tenular* (Gosse) 1886
- 1886 *Cyclopoides tenular* Gosse.
- 1903 *Diurella tenular* Jennings.  
Locality: N.S.W. (Whitelegge 1889), Qld  
(Thorpe 1889).
- Trichocerca tigris* (Müller) 1786
- 1786 *Rattulus tigris* Müller.  
Locality: N.S.W. (Whitelegge 1889), Qld  
(Colledge 1911), Vic. (Shiel in prep.).
- Trichocerca weberi* (Jennings) 1903
- 1903 *Diurella weberi* Jennings.  
Locality: Qld (Russell 1961).
- Trichotria pocillum* (Müller) 1776
- 1830 *Dinocharis pocillum* Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889), Qld  
(Colledge 1911).
- Trichotria tetractis* (Ehrenberg) 1830
- 1830 *Dinocharis tetractis* Ehrenberg.  
Locality: N.S.W. (Whitelegge 1889), Qld  
(Colledge 1914), Vic. (Anderson &  
Shephard 1892).
- Trichotria truncata* (Whitelegge) 1889
- 1889 *Dinocharis truncatum* Whitelegge.  
Locality: N.S.W. (Whitelegge 1889).
- Tripleuchlanis plicata* (Levander) 1894
- 1894 *Euchlanis plicata* Levander.  
Locality: Qld (Russell 1961).
- Trichosphaera equatorialis* (Somper) 1872  
Locality: Qld (Thorpe 1889).

The following species are listed by Pejler (1977:266, 267; Table I) as recorded from the Australian region. They are listed separately from the Index, as no published Australian record could be found, although most are recorded from New Zealand by Russell (1960).

*Brachionus zahniseri* Ahlstrom, 1934.

*Keratella ahlstromi* Russell, 1951.

*Keratella crassa* Ahlstrom, 1943.

*Keratella edmondsoni* Ahlstrom, 1943.

*Keratella sancta* Russell, 1944.

*Notholca fallacea* (= *Argonotholca fallacea* Ehrenberg, 1838).

*Notholca squamula* (Müller) 1786.

#### Incertae sedis

In the course of the literature search several names were found to be *nomina dubia*. These, together with valid species for which inadequate information was available for inclusion in the Index, are listed below. Source and locality data are also given.

*Cochleare turba* Gosse, 1886

Locality: Qld (Colledge 1911).

*Floscularia chimaera* Hudson & Gosse, 1889.

Locality: Qld (Hudson & Gosse 1889).

*Melicerta bursdorfiae* Colledge, 1924.

Locality: Qld (Colledge 1924).

*Melicerta coloniensis*

Locality: Qld (Colledge 1924).

*Microdida chlaena* (= *?Microcodidus chlaena* Gosse)

Locality: Qld (Colledge 1914).

*Rattulus sejunctipes* Gosse 1886

1903 *Diurella sejunctipes* Jennings.

Locality: N.S.W. (Whitelegge 1889).

*Synchaeta ovalis* (= *?Chromogaster ovalis* Berendal)

Locality: Qld (Colledge 1911).

*Triophthalmus dorsualis* (Ehrenberg) 1830

1830 *Notops dorsalis* Ehrenberg.

Locality: N.S.W. (Whitelegge 1889), Qld  
(Colledge 1914).

*Triophthalmus longisetus*

Locality: Qld (Colledge 1911).

#### Acknowledgments

Dr T. J. Hillman and the staff of the Albury-Wodonga Development Corporation Laboratories at Bandiana, Victoria, made available plankton collections, expertise and laboratory facilities, and assisted in field work. Their help is gratefully acknowledged, as is the financial support of the A.W.D.C. Dr B. V. Timms, University of Canterbury, Christchurch, N.Z., is thanked for access to an unpublished MS. Dr K. F. Walker is thanked for his comments on a draft MS.

## References

- ANDERSON, B. A. & SHEPARD, J. (1892) Notes on Victorian rotifers. *Proc. R. Soc. Vict.* **4**, 69-80.
- BERZINS, B. (1953) Zur Kenntnis der Rotatorien aus West-Australien. Report No. 4 from Professor T. Gislen's expedition to Australia in 1951-1952. *Lunds Univ. Arsskr. N.F.2* **49**(8), 12 pp.
- BERZINS, B. (1955) Taxonomie und Verbreitung von *Keratella vulgaris* und verwandter Formen. *Ark. Zool. ser. 2*(8), 549-559.
- BERZINS, B. (1963) Two new *Keraella*, Rotatoria, from Australia. *Hydrobiologia* **21/22**, 380-383.
- CHENGALATH, R. (1977) A list of rotifers recorded from Canada with synonyms. *Syllogeus* **11**, 1-30.
- COLLEDGE, W. R. (1909) Lecture on Brisbane pond life. *Proc. R. Soc. Qld* **22**(1), 35.
- COLLEDGE, W. R. (1911) Notes on the rotifers or wheel-animalcules of Brisbane. *Ibid.* **23**(1), 87-91.
- COLLEDGE, W. R. (1914) Additions to the Rotifera of Queensland. *Ibid.* **27**, 70-75.
- COLLEDGE, W. R. (1924) A new rotifer of the Melicerian family. *Ibid.* **36**, 137-138.
- HARRING, H. K. (1913) Synopsis of the Rotatoria. *Bull. U.S. Natl. Mus.* **81**, 1-226.
- HUDSON, C. T. & GOSS, P. H. (1889) The rotifers or wheel-animalcules. Vols. I, II and Supplement. (Longmans, Green and Co., London).
- KOSTE, W. (1978) *Die Radertiere Mitteleuropas*, Vol. 1, Text, Vol. 2, Figures. A revision of Voigt, M. (1956/57). Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- KOSTE, W. (1979) New Rotifera from the River Murray, southeastern Australia, with a review of the Australian species of *Brachionus* and *Keratella*. *Aust. J. Mar. Freshwat. Res.* **30**(2).
- KUTIKOVA, L. (1970) Rotifer fauna of the U.S.S.R. *Fauna C.C.C.P.* **104**, 1-744. Akad. Nauk. Moscow.
- LAIRD, M. (1956) Studies of mosquitos and freshwater ecology of the South Pacific. *Bull. R. Soc. N.Z.* **6**, 1-199.
- MURRAY, J. (1911) Australian Rotifera: Collected by the Shackleton Antarctic Expedition, 1909-1912. *J. R. Microsc. Soc. Lond.*, 164-174.
- MURRAY, J. (1913) Australian rotifers. *Ibid.* **1913**(5), 455-61.
- PILGER, B. (1977) On the global distribution of the family Brachionidae (Rotatoria). *Arch. Hydrobiol. Suppl.* **53**(2), 255-306.
- POWLING, I. J. (1979) Limnological features of some Victorian reservoirs. Ch. 31 in W. D. Williams (ed.) *An ecological basis for water resource management*. A.N.U. Press, Canberra.
- RUSSELL, C. R. (1957) Some rotifers from the South Pacific islands and northern Australia. *Trans. R. Soc. N.Z.* **84**(4), 897-902.
- RUSSELL, C. R. (1960) An index of the Rotatoria of New Zealand and outlying islands from 1859-1959. *Ibid.* **88**, 443-461.
- RUSSELL, C. R. (1961) The Rotatoria of Queensland, Australia. *R. Soc. N.Z. Trans.* **1**(17), 235-239.
- RUTTNER-KOLISKO, A. (1974) Plankton rotifers—biology and taxonomy. *Die Binnengewässer* **26**(1), 1-146.
- SHEPARD, J. (1892) Note on a new rotifer. *Vict. Nat.* **9**, 15.
- SHEPARD, J. (1896) A new rotifer, *Lacinularia elongata*. *Ibid.* **13**, 22-24.
- SHEPARD, J. (1897) A new rotifer, *Lacinularia elliptica*. *Ibid.* **14**, 84-86.
- SHEPARD, J. (1899) A new rotifer, *Lacinularia striolata*. *Proc. R. Soc. Vict.* **12**(1), 20-35.
- SHEPARD, J. (1911) A list of Victorian rotifers, with descriptions of two new species and the males of two species. *Ibid.* **24**, 46-58.
- SHEPARD, J. (1917) A visit to Great Lake, Tasmania. *Vict. Nat.* **33**, 70-75.
- SHEPARD, J. (1922) The Rotifera of Australia and their distribution. *Proc. R. Soc. Vict.* **34**(2), 85-88.
- SHEPARD, J. & STICKLAND, W. (1899) A new rotifer, *Meliceria fimbriata*. *Vict. Nat.* **16**(3), 38-40.
- SHIEL, R. J. (1978) Zooplankton communities of the Murray-Darling system, a preliminary report. *Proc. R. Soc. Vict.* **90**, 193-202.
- SHIEL, R. J. (1979) Billabongs of the Murray-Darling system. Ch. 34 In W. D. Williams (Eds.) *An ecological basis for water resource management*. A.N.U. Press, Canberra.
- SHIEL, R. J. (in press) Rotifera from the River Murray, southeastern Australia. II, Systematics. *Aust. J. Mar. Freshwat. Res.* **30**(2).
- STICKLAND, W. (1894) The rotifer in Melbourne. *Vict. Nat.* **11**(1), 100-104.
- SUDZUKI, M. (1964) New systematical approach to the Japanese planktonic Rotatoria. *Hydrobiologia* **23**(1/2), 1-124.
- SUDZUKI, M. (1975) A new *Brachionus* from Myall Lakes and a revision of the *B. plicatilis* complex. *Zool. Mag. (Tokyo)* **84**, 446.
- SUDZUKI, M. & TIMMS, B. V. (1977) A new species of *Brachionus* (Rotifera) from the Myall Lakes, New South Wales. *Proc. Linn. Soc. N.S.W.* **101**(3), 162.
- SUDZUKI, M. & TIMMS, B. V. (in prep.) Planktonic Rotifera of farm dams near Gloucester, N.S.W.
- THORPE, V. G. (1887) On certain Rotifera found in the ponds of the gardens of the Acclimatisation Society, Brisbane. *Proc. R. Soc. Qld.* **4**, 28-30.
- THORPE, V. G. (1889) A list of Queensland rotifers. *Ibid.* **6**, 70-75.
- VOIGT, M. (1956/57) Die Radertiere Mitteleuropas. Vols. 1-2. Gebrüder Bornträger, Berlin.
- WALKER, K. F. (1973) Studies on a saline lake ecosystem. *Aust. J. mar. Freshwat. Res.* **24**, 21-71.
- WHITELEGGE, T. (1889) Marine and freshwater invertebrate fauna of Port Jackson and neighbourhood. *Proc. R. Soc. N.S.W.* **23**, 163-323.